



# Sree Padmanabha Swamy Temple

Mathilakam Office, Ulsavamadam Building, North Nada,  
Fort (PO), Thiruvananthapuram-695023

☎ 0471 2450 233, 2450 031, 93 87 25 98 77

🌐 www.spst.in

✉ eospsttvp@gmail.com | mathilakamofficespst@gmail.com

No. C 3/2023/SPST/1648

17.10.2023

## NOTICE INVITING TENDER

Sealed Tenders are invited from the reputed firms for the supply of Garrett make Super Scanner V model Hand Held Metal Detector 05 Nos. for Sree Padmanabha Swamy Temple. Details are as follows:

Hand Held Metal Detector - Super Scanner V HHMD Specifications

1. Should have one switch operation.
2. Should have Ultimate sensitivity.
3. Should be simple to use with no major adjustments.
4. Should be rugged, high-impact ABS case with reinforced coil compartment.
5. Should be able to detect ferrous and nonferrous metals and capable to detect medium sized pistol from 9"; large knife from 6"; razor blade and box cutter from 3"; foil-wrapped drugs and tiny jewellery from 1."
6. Should be capable of scanning large 10" scan surface for quick, thorough scanning.
7. Should be easy to change 9V rechargeable battery.
8. Should have Sharp audible alarm and bright red LED light indicates the detection of metal. Also, option should be there to switch between audio alarm /vibration in HHMD.
9. Should have momentary push button temporarily eliminating detection of nearby ambient metal such as rebar, metal walls, etc.
10. Should have three LED's indicating ON; Low battery; and alarm for metal.
11. Operating Temperatures from 0°C to 50°C
12. Humidity to 95% Non-condensing.
13. Should be provided with single 9 volt rechargeable battery up to 40 hours running on single charge
14. Battery protector - to be provided against damage due to reverse polarity.
15. Scan rate minimum 3" to 24" per seconds
16. Tuning - Automatic to ensure equal results on wide range of metals and alloys
17. Dimensions Probe width: Maximum 120 mm. Body Width:

Maximum.65 mm. Length: Maximum 500 mm. Weight: Maximum 500 grams.

18. Warranty 24 months for parts and labor.
19. Should be provided with Safety Sling.
20. With rechargeable battery kit – allows recharging without the need to remove the battery.
21. Miscellaneous: The firm should be able to provide the following along with equipment a) Cleaning kits. b) Technical manual giving full description of the item. c) User hand book.

Note:

1. The rates quoted should be inclusive of all taxes and duties and period of warranty should be specified.
2. The envelope containing the quotation shall be super scribed as **“Quotation for HHMD”**
3. Quotation should be submitted at the Office of the Executive Officer, Ulsavamadom Building, North Nada, Sree Padmanabha Swamy Temple, Fort P.O Pin code: 695023 before 04:00 pm on 27.10.2023 in a sealed envelope.
4. The sealed quotations will be opened at 04:30 pm on 27.10.2023 at the Office of the Executive Officer in the presence of bidders who are present at that time.
5. The decision of the Executive Officer shall be final on awarding the work.

  
**Executive Officer,  
Sree Padmanabha Swamy Temple**

Copy to: C3 Section (shall be upload in Temple website), Notice Board in Office, East Nada, West Nada, North Nada, South Nada and Thiruvambady Nada and Stock file.